

BIG SALE

10% OFF

EVERYTHING STOREWIDE
MUST PRESENT THIS FLYER*



As summer sets, take advantage of these FALLing prices and purchase a new TYM Tractor

FALL SAVINGS



T224

2515

T25

T474

T574



ENGINE	
Engine manufacturer	Yanmar 3TNV74F
Type	Natural Aspiration
Gross engine power	21.5 hp
PTO power	15.1 hp 11.3 kW
Rated engine speed	3200 rpm
No. of cylinders	3
Displacement	60.6 cu. in. 993 cc
Air cleaner	Single Dry
Alternator	12V, 40A
Fuel system	IDI
POWERTRAIN	
Transmission type	HST
No. of speeds	2-Range
Max. traveling speed	8.4 mph 13.5 kmph
Brakes	Wet Disc
Steering	Hydrostatic
Clutch	N/A
DIMENSIONS & WEIGHTS	
Overall length with 3-point hitch	94.2 in. 2394 mm
Overall width	44.5 in. 1130 mm
Wheelbase	53.1 in. 1350 mm
Height to top of ROPS	86.6 in. 2200 mm
Min. ground clearance	8.3 in. 210 mm
Min. turn radius without brakes	86.6 in. 2200 mm
Weight with ROPS	1472 lb 668 kg

T224

Sub-Compact, Series 1

21.5 hp



Our Price
\$14,125*

ENGINE	
Engine manufacturer	Yanmar 3TNV80F
Type	Natural Aspiration
Gross engine power	24.7 hp
PTO power	18.3 hp 13.6 kW
Rated engine speed	3000 rpm
No. of cylinders	3
Displacement	77.3 cu. in. 1267 cc
Air cleaner	Single Dry
Alternator	12V, 40A
Fuel system	IDI
POWERTRAIN	
Transmission type	Synchro-Shuttle/HST
No. of speeds	Infinite 2-Range
Max. traveling speed	13.7 mph 22.1 kmph
Brakes	Wet Disc
Steering	Hydrostatic
Clutch	N/A
DIMENSIONS & WEIGHTS	
Overall length with 3-point hitch	107.8 in. 2,740 mm
Overall width	52.8 in. 1342 mm
Wheelbase	61 in. 1550 mm
Height to top of ROPS	89.8 in. 2280 mm
Min. ground clearance	7.71 in. 196 mm
Min. turn radius with brakes	102.4 in. 2602 mm
Min. turn radius without brakes	109.5 in. 2782 mm
Weight with ROPS	1881 lb 853 kg
Weight with cab	2399 lb 1088 kg

T25

Sub-Compact, Series 1

24.7 hp




Our Price
\$19,210*




PTO lever for mid and rear rpm




2-range hydrostatic transmission (HST)



Safety seat sensor




Throttle lever



PTO on/off switch



Dial adjustment for mower height



2 range hydrostatic transmission (HST)



3rd function for 4-in-1 bucket work (optional)



2 usb ports



Bluetooth speaker with IP66 grade waterproofing



Wireless smartphone charger



Wide loadspace with a well-equipped toolbox

*Price based on inventory available and may vary based on options selected. See dealer for details.

T224 ATTACHMENTS

Perform the tasks of a full-size tractor, while enjoying the maneuverability of a riding mower. The T224 serves as an indispensable groundskeeper for every property owner.



TX22H FRONT-END LOADER



MM54 MID-MOUNT MOWER



TB50 BACKHOE

*Price based on inventory available and may vary based on options selected. See dealer for details.

T25 ATTACHMENTS

Get work done quicker with this smallframe tractor. Highly maneuverable and with maximized lift capabilities, the T25 is designed to be an all-round multi-tasking machine.



TL25 FRONT-END LOADER



TM60 MID-MOUNT MOWER



TB65 BACKHOE

ENGINE

Engine manufacturer	TYM A1700N6 IDI
Type	Natural Aspiration
Gross engine power	24 hp
PTO power	21 hp 15.7 kW
Rated engine speed	2100 rpm
No. of cylinders	3
Displacement	104.5 cu. in. 1714 cc
Air cleaner	Dry Element
Alternator	12V, 50A
Fuel system	IDI

POWERTRAIN

Transmission type	HST
No. of speeds	3-Range
Max. traveling speed	15.2 mph 24.5 kmph
Brakes	Wet, Multi-disc
Steering	Hydrostatic
Clutch	No

DIMENSIONS & WEIGHTS

Overall length with 3-point hitch	120.9 in. 3071 mm
Overall width	56.3 in. 1430 mm
Wheelbase	65.7 in. 1670 mm
Height to top of ROPS	97.3 in. 2471 mm
Min. ground clearance	14.4 in. 366 mm
Min. turn radius with brakes	7.5 in 2.3 mm
Min. turn radius without brakes	104.7 in 2659.4 mm
Weight with ROPS	2969 lb 1347 kg

2515H

Compact, Series 2

24 hp



Our Price
\$22,939*

ENGINE

Engine manufacturer	TYM A2300N2
Type	Natural Aspiration
Gross engine power	48.3 hp
PTO power	35.9 hp 26.4 kW
Rated engine speed	2600 rpm
No. of cylinders	4
Displacement	139.5 cu. in. 2286 cc
Air cleaner	Single Dry
Alternator	12V, 70A
Fuel system	IDI

POWERTRAIN

Transmission type	Mechanical
No. of speeds	F12XR12
Max. traveling speed	14.9 mph 24.0 kmph
Brakes	Wet Disc
Steering	Hydrostatic
Clutch	Dry Single Plate

DIMENSIONS & WEIGHTS

Overall length with 3-point hitch	131 in. 3320 mm
Overall width	54.5 in. 1385 mm
Wheelbase	69.7 in. 1770 mm
Height to top of ROPS	94.5 in. 2400 mm
Min. ground clearance	12.8 in. 325 mm
Min. turn radius with brakes	106.7 in. 2710 mm
Min. turn radius without brakes	117.5 in. 2985 mm
Weight with ROPS	3289 lb 1492 kg
Weight with cab	3607 lb 1636 kg

T474

Compact, Series 2


48.3 hp




Our Price
\$33,674*




New iconic hood




Comfortable suspension seat



Ergonomic lever



Highly responsive forward & reverse HST (2515H)



High-capacity fuel tank



High visibility instrumental panel



Auto throttle



Auto PTO lever



Cruise control



Foldable ROPS or all-season cab



Single rear implement



Shuttle transmission

*Price based on inventory available and may vary based on options selected. See dealer for details.

2515 ATTACHMENTS

Mid-sized Series 2 tractor designed for lasting durability. This robust and efficient tractor is fit for a range of applications of varying intensities.



BL150 FRONT-END LOADER



BH150 BACKHOE



GRAPPLE (optional)

*Price based on inventory available and may vary based on options selected. See dealer for details.

T474 ATTACHMENT

Take on harder tasks in smaller spaces with the T474, proven to be durable and engineered to be efficient. This tractor is a workhorse that is easy to control in greenhouses, orchards, and more.



TX47 FRONT-END LOADER



BY75 BACKHOE



CAB OPTION AVAILABLE

ENGINE	
Engine manufacturer	TYM A2300T3
Type	Turbo
Gross engine power	55 hp
PTO power	44.7 hp 32.9 kW
Rated engine speed	2600 rpm
No. of cylinders	4
Displacement	139.5 cu. in. 2286 cc
Air cleaner	Dual Dry
Alternator	12V, 70A
Fuel system	IDI
POWERTRAIN	
Transmission type	Sync Shuttle
No. of speeds	F8xR8
Max. traveling speed	18.45 mph 29.7 kmph
Brakes	Wet Disc
Steering	Hydrostatic
Clutch	Dry Single Plate
DIMENSIONS & WEIGHTS	
Overall length with 3-point hitch	141.3 in. 3590 mm
Overall width	63.8 in. 1620 mm
Wheelbase	76.2 in. 1935 mm
Height to top of ROPS	102.1 in. 2594 mm
Min. ground clearance	13.8 in. 350 mm
Min. turn radius with brakes	121.2 in. 3080 mm
Min. turn radius without brakes	131.5 in. 3340 mm
Weight with ROPS	3887 lb 1763 kg
Weight with cab	4233 lb 1920 kg

T574

Compact, Series 3

55 hp



TYM

Our Price
\$32,431*

- Cruise control switch
- Projection headlights
- 4-port rear hydraulic valve
- 3-range hydrostatic transmission
- PTO switch
- Digital instrument panel

*Price based on inventory available and may vary based on options selected. See dealer for details.

T574 ATTACHMENTS

Take on tough jobs in tight spaces with the T574. This tractor brings you the best features from our compact and utility ranges, balancing high power output with maximized maneuverability.



TX57 FRONT-END LOADER



BY85 BACKHOE



CAB OPTION AVAILABLE



DEWALT
GUARANTEED TOUGH.

*Must present this flyer to receive discount.

10% DISCOUNT ON DEWALT EQUIPMENT STOREWIDE*



SPARTAN MOWERS

SPARTAN MOWERS IN-STOCK

FULL LINE OF SCAG ZERO TURN MOWERS IN-STOCK

SCAG POWER EQUIPMENT





Winfield

570-966-0308



Jersey Shore

570-398-1391

www.josequipment.com

**Jo's Equipment
& SUPPLY**

73 Agway Lane
Winfield, PA 17889

**Jo's Equipment
JERSEY SHORE**

246 Cement Drive
Jersey Shore, PA 17740



**NEW INVENTORY
PRE-OWNED INVENTORY
RENTALS
FINANCING AVAILABLE
SERVICE & REPAIR**

10% OFF*

EVERYTHING STOREWIDE
MUST PRESENT THIS FLYER*

**TYM TRACTORS - ATTACHMENTS - ZERO TURN MOWERS -
CONSTRUCTION EQUIPMENT - OUTDOOR POWER - TRAILERS - UTVS**

**Jo's Equipment
& SUPPLY**

**Jo's Equipment
JERSEY SHORE**

Winfield - **570-966-0308**

Jersey Shore - **570-398-1391**